



# Federal Communications Commission

## Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2012 - December 31, 2012

Filing Confirmation Number: 0005604060

Filing Deadline: January 15, 2013

FRN: 0001566561

Filing Date: 01/15/2013 09:59 AM

### General Report Information

#### Type of Company

Service Provider

#### De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

#### Company Information

Company Name: North Dakota Network Company

Brand Names: SRT Wireless

PO Box:

Street Address: 3615 North Broadway

City: Minot

State: ND

Zip Code: 58703

Contact Name: Julie Lizotte

Contact Phone: (701) 858-5233

Contact Fax:

Contact Email: julieel@rattel.com

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? Yes

Agent Name: Blooston Mordkofsky Dickens Duffy & Prendergast, LLP

PO Box:

Street Address: 2120 L Street, NW Suite 300

City: Washington

State: DC

Contact Name: D. Cary Mitchell  
Contact Phone: (202) 828-5538  
Contact Fax:  
Contact Email: cary@bloostonlaw.com

### Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations? Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

### Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.srt.com/onlinestore/do/category/infoHearingAid>

Explain:

### Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Along with providing detailed information about hearing aid compatibility of wireless phones on the Company's web site, the Company has instructed its sales staff about the availability of hearing aid compatible phone models and it has signs in each store advertising the availability of hearing aid compatible devices. The company also has wireless industry pamphlets available that customers can take home with information on the FCC's requirements and HAC rating system. To the extent that additional information is developed by the wireless industry and/or the hearing impaired community on the compatibility of certain phone models with particular hearing aids, the Company will endeavor to make such information available to customers.

### Methodology for Functionality Levels

Basic phones (entry-level devices offered for \$10 or less); Feature phones (devices with more advanced features and capabilities offered for more than \$10); and Smartphone/PDAs (devices that run complete operating system software

as a platform for application developers).

## Report Remarks

Carrier may offer certain handsets that are capable of operating on more than one air interface. Carrier currently operates only on the CDMA air interface. The Commission has made it clear that the HAC handset phase-in requirements specified in Section 20.19(c)(3) apply only "for each air interface it offers." Report and Order, 18 FCC Rcd 16753 (2003) at Para. 53. Moreover, these handset phase-in requirements are triggered only after a service provider has begun offering service using a particular air interface. Memorandum Opinion and Order, 22 FCC Rcd 7171 (2007) at Para. 60.

You have reported the following handset model summary information.

Total number of handsets offered: 23

Air Interface	Fully Hearing Aid Compatible Number Percent		Acoustic Coupling Compatible Only Number Percent		Non-Compliant Handsets Number Percent	Excluded Handsets Number	Total by Air Interface
CDMA	20	87%	3	13%			23

## Handset 1: LG AS680

### Handset Maker

LG

### Handset Model Name

AS680

### FCC ID

ZNFAS680

### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 11/11 to 09/12

### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Smartphone/PDA

### Remarks

## Handset 2: LG 430 Wine2

### Handset Maker

LG

### Handset Model Name

430 Wine2

### FCC ID

BEJUN430

### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 08/10 to 11/12

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Feature phone

### Remarks

---

## Handset 3: Samsung Gem i100

### Handset Maker

Samsung

### Handset Model Name

Gem i100

### FCC ID

A3LSCHI100

### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 03/11 to 04/12

### Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Smartphone/PDA

#### Remarks

---

### Handset 4: Motorola W845

#### Handset Maker

Motorola

#### Handset Model Name

W845

#### FCC ID

IHDT56KS1

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 02/10 to 12/12

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Feature

#### Remarks

---

### Handset 5: Samsung Character

#### Handset Maker

Samsung

#### Handset Model Name

Character

#### FCC ID

A3LSCHR640

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 08/11 to 12/12

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Feature phone

**Remarks**

---

**Handset 6: Samsung SCH-i500 Fascinate****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SCH-i500 Fascinate

A3LSCHI500

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 05/11 to 08/12

**Ratings**

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Smartphone/PDA

#### Remarks

---

### Handset 7: LG AN510

#### Handset Maker

LG

#### Handset Model Name

AN510

#### FCC ID

BEJUN510

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 07/11 to 03/12

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Feature phone

#### Remarks

---

### Handset 8: HTC Merge

#### Handset Maker

HTC

#### Handset Model Name

Merge

#### FCC ID

NM8PD06100

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 08/11 to 07/12

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Smartphone/PDA

**Remarks**

---

**Handset 9: Motorola XT609 Milestone Plus****Handset Maker**

Motorola

**Handset Model Name****FCC ID**

XT609 Milestone Plus

IHDP56LK1

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 09/11 to 07/12

**Ratings**



M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Smartphone/PDA

#### Remarks

---

### Handset 10: Samsung R261 Chrono

#### Handset Maker

Samsung

#### Handset Model Name

R261 Chrono

#### FCC ID

A3LSCHR261A

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 10/11 to 12/12

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Feature phone

#### Remarks

---

### Handset 11: Samsung R720 Admire

#### Handset Maker

Samsung

#### Handset Model Name

R720 Admire

#### FCC ID

A3LSCHR720

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 10/11 to 10/12

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Smartphone/PDA

**Remarks**

---

**Handset 12: SONIM XP3400 Armor****Handset Maker**

SONIM

**Handset Model Name****FCC ID**

XP3400 Armor

WYPC21F007AA

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 11/11 to 12/12

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Feature

#### Remarks

---

### Handset 13: Motorola Milestone X2 (Droid)

#### Handset Maker

Motorola

#### Handset Model Name      FCC ID

Milestone X2 (Droid)      IHDT56MJ1

#### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

#### Dates

This handset model was offered from: 12/11 to 07/12

#### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Smartphone/PDA

#### Remarks

---

### Handset 14: LG AS855

#### Handset Maker

LG

#### Handset Model Name      FCC ID

AS855      BEJLS855

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 12/11 to 07/12

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Smartphone/PDA

**Remarks**

---

**Handset 15: LG AN200****Handset Maker**

LG

**Handset Model Name****FCC ID**

AN200

BEJUN200

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/12 to 05/12

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Feature phone

#### Remarks

---

### Handset 16: LG AN270

#### Handset Maker

LG

#### Handset Model Name

AN270

#### FCC ID

BEJVN270

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 01/12 to 11/12

#### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Feature phone

#### Remarks

---

### Handset 17: Samsung Repp R680

#### Handset Maker

Samsung

#### Handset Model Name

Repp R680

#### FCC ID

A3LSCHR680

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 06/12 to 12/12

**Ratings**

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Smartphone/PDA

**Remarks**

---

**Handset 18: LG AS695****Handset Maker**

LG

**Handset Model Name****FCC ID**

AS695

ZNFAS695

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 07/12 to 12/12

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Smartphone/PDA

#### Remarks

---

### Handset 19: LG AS730

#### Handset Maker

LG

#### Handset Model Name

AS730

#### FCC ID

ZNFAS730

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 11/12 to 12/12

#### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Smartphone/PDA

#### Remarks

---

### Handset 20: HTC One V

#### Handset Maker

HTC

#### Handset Model Name

One V

#### FCC ID

NM8PK76300

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 08/12 to 12/12

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Smartphone/PDA

**Remarks**

---

**Handset 21: Samsung Galaxy S II****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

Galaxy S II

A3LSCHR760

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 08/12 to 12/12

**Ratings**



M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Smartphone/PDA

#### Remarks

---

### Handset 22: Samsung Chrono 2 R270

#### Handset Maker

Samsung

#### Handset Model Name

Chrono 2 R270

#### FCC ID

A3LSCHR270

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 12/12 to 12/12

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Feature

#### Remarks

---

### Handset 23: LG AN272 CONVERSE

#### Handset Maker

LG

#### Handset Model Name

AN272 CONVERSE

#### FCC ID

ZNFAN272

## Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

## Dates

This handset model was offered from: 12/12 to 12/12

## Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

## Functionality Level

Feature

## Remarks

## Certification

### This Report has been certified by:

John A Reiser Chief Operations Officer  
01/15/2013 09:59 AM